

Genetic diversity of Barbary lion based on genealogic analysis

Kristína Lehocká, Jana Hanusová, Ondrej Kadlečík

References

- ALDEN, P. R. et al. (1998) *National Audubon Society Field Guide to African Wildlife*. New York: Alfred A. Knopf, Inc.
- BLACK, S. A. (2009) Return of the royal Barbary lion. *BBC NEWS* [Online]. Retrieved 2017-10-12 from http://news.bbc.co.uk/earth/hi/earth_news/newsid_8109000/8109945.stm
- BLACK, S. A. et al. (2013) Examining the Extinction of the Barbary Lion and Its Implications for Felid Conservation. *PLoS ONE*. vol. 8, no. 4, e60174. doi: <https://doi.org/10.1371/journal.pone.0060174>
- CERVANTES, I. et al. (2008). Population history and genetic variability in the Spanish Arab Horse assessed via pedigree analysis. *Livestock science*, vol. 113, no. 1, pp. 24–33.
- CREEL, S. and ROSENBLATT, E. (2013) Using pedigree reconstruction to estimate population size: genotypes are more than individually unique marks. *Ecology and Evolution*, vol. 3, no. 5, pp.1294–1304. doi: <https://doi.org/10.1002/ece3.538>
- FRANKHAM, R., BALLOU, J. D. and BRISCOE, D. A. (2002) *Introduction to conservation genetics*. Cambridge: Cambridge University Press.
- GUTIÉREZZ, J. P. and GOYACHE, F. (2005) A note on ENDOG: a computer program for Analysis pedigree information. *Journal of Animal Breeding and genetics*, no. 122, pp. 172–176.
- GUTIÉREZZ, J. P. et al. (2008) Individual increase in inbreeding allows estimating effective sizes from pedigrees. *Genetics Selection Evolution*, vol. 40, no. 4, pp. 359–378.
- GUTIÉREZZ, J. P., GOYACHE, F. and CERVANTES, I. (2009a) Endog v 4.6. A Computer Program for Monitoring Genetic Variability of Populations Using Pedigree Information. *User's Guide*.
- GUTIÉREZZ, J. P., GOYACHE, F. and CERVANTES, I. (2009b) Improving the estimation of realized effective population sizes in farm animals. In *Journal of Animal Breeding and Genetics*, vol. 126, no. 4, pp. 327–332.
- HEMMER, H. (1974) Untersuchungen zur Stammesgeschichte der Pantherkatzen (Pantherinae) Teil 3. Zur Artgeschichte des Löwen Panthera (Panthera) leo (Linnaeus, 1758). *Veröffentlichungen der Zoologischen Staatssammlung*. no.17, pp. 167–280.
- HILL, W.G. and ZHANG, X. S. (2004) Genetic variation within and among animal populations. In: SIMM, G. et al. (eds.) *Farm animal genetic resources*. Nottingham: Nottingham University Press, pp. 67–84.
- IUCN. (2005) *IUCN. Red List of Threatened Species. Cat Specialist Group*. [Online]. Retrieved 2017-12-20 from <http://www.catsg.org>
- IUCN. (2010) *IUCN. Red List of Threatened Species (ver. 2010.1)*. [Online]. Retrieved 2017-12-20 from <http://www.iucnredlist.org/details/15951/3>
- JANEČKA, J. E. et al. (2008) Small effective population sizes of two remnant ocelot populations (*Leopardus pardalis albescens*) in the United States. *Conservation Genetics*. doi: <https://doi.org/10.1007/s10592-007-9412-1>
- JARCOVSKÝ, J., LITTNEROVÁ, S. and DUŠEK, L. (2012) *Statistical evaluation of biodiversity*. Brno: Akademické nakladatelství CERM.
- KADLEČÍK, O. and KASARDA, R. (2007) *Animal Science*. Nitra: SPU (in Slovak).

- KADLEČÍK, O. et al. (2016) *Genetic diversity Slovak Spotted and Holstein cattle*. Nitra: Slovenská poľnohospodárska univerzita (in Slovak).
- KARESH, W. B., SMITH, F. and FRAZIER-TAYLOR, H. (1987) A remote method for obtaining skin biopsy samples. *Conserv. Biol.* no.1, pp. 261–262.
- LACY, R.C. (1989) Analysis of founders' representation in pedigrees: founder equivalents and founder genome equivalent equivalence. *Zoo Biology*, vol. 8, pp.111–124.
- LEWIS, T. W. et al. (2015) Trends in genetic diversity for all Kennel Club registered pedigree dog breeds. *Canine Genetics and Epidemiology*, vol. 2, no 13. doi: <http://doi.org/10.1186/s40575-015-0027-4>
- LINNAEUS, C. (1758) *Systema naturae per regna tria naturae sccundum classis, ordines, genera, sepecies cum characteribus, differentiis, synonymis, locis. Tenth edition. Volume 1. 1. Holmiae (Laurentii Salvii)*. Stockholm.
- MACCLUER, J. W. et al. (1983) Inbreeding and pedigree structure in Standardbred horses. *J. Hered.*, vol. 74, pp. 394–399.
- NOMURA, T. (1999) A mating system to reduce Inbreeding in Selection Programmes. Theoretical Basis and Modification of Compensatory Mating. *Journal of Animal Breeding and Genetics*, vol. 116, pp. 351–356.
- ORAVCOVÁ, M. et al. (2006) Analysis of livestock breeds in terms of the effective size of their population. *Acta fytotechnica et zootechnica*, vol. 9, pp. 156–159.
- RIGGIO, J. et al. (2013) The size of savannah Africa: a lion's (*Panthera leo*). In *Biodiversity and Conservation*. doi: <https://doi.org/10.1007/s10531-012-0381-4>
- SIMON, D. L. and BUCHENAUER, D. (1993) *Genetic diversity of European livestock breeds*. Wageningen: WUP.
- SPONG, G., JOHANSSON, M. and BJÖRKLUND, M. (2000) High genetic variation in leopards indicates large and long-term stable effective population size. *Molecular Ecology*, vol. 9, 1773–1782. doi: <https://doi.org/10.1046/j.1365-294x.2000.01067.x>
- TORO, M. A. et al. (2011) Assessing the genetic diversity in small farm animal populations. *Animal*, no. 5, pp. 1669-1683.
- YAMAGUCHI, N. – HADDANE, B. (2002) The North African Barbary Lion and the Atlas Lion Project (PDF). *International Zoo News*, no. 49, no. 8, pp. 465–481.
- WILSON, O. (1992) *The Diversity of Life*. Cambridge: Harvard University Press.
- WRIGHT, S. (1922) Coefficients of inbreeding and relationship. *American naturalist*, no. 56, pp. 330-333.
- ZANIN, M. et al. (2016) Gene flow and genetic structure of the puma and jaguar in Mexico. *European Journal of Wildlife Research*, vol. 62, no. 4, pp. 461–469. doi: <https://doi.org/10.1007/s10344-016-1019-8>