

## Bioactive compounds and fatty acid profile of grape pomace

Patrícia Vašeková, Miroslav Juráček, Daniel Bíro, Milan Šimko, Branislav Gálik, Michal Rolinec, Ondrej Hanušovský, Renata Kolláthová, Eva Ivanišová

### References

- Antonioli, A., Fontana, A. R., Piccoli, P., & Bottini, R. (2015). Characterization of polyphenols and evaluation of antioxidant capacity in grape pomace of the cv. Malbec. *Food Chemistry*, 178, 172-178.
- Baydar, N. G., Özkan, G., & Yaşar, S. (2007). Evaluation of the antiradical and antioxidant potential of grape extracts. *Food control*, 18(9), 1131-1136.
- Belury, M. A., Cole, R. M., Snoke, D. B., Banh, T., & Angelotti, A. (2018). Linoleic acid, glycemic control and Type 2 diabetes. *Prostaglandins, Leukotrienes and Essential Fatty Acids*, 132, 30-33.
- Braga, G. C., Melo, P. S., Bergamaschi, K. B., Tiveron, A. P., Massarioli, A. P., & Alencar, S. M. D. (2016). Extraction yield, antioxidant activity and phenolics from grape, mango and peanut agro-industrial by-products. *Ciência Rural*, 46(8), 1498-1504.
- Capcarová, M., Kalafová, A., Sílešová, A., Schneidgenová, M., & Petruška, P. (2017). The effect of quercetin on some hematological parameters of rabbits. *Slovak society for agricultural, forestry, food and veterinary sciences at the slovak academy of sciences*. Nitra: SUA in Nitra, (pp. 23-35). In Slovak.
- Einbond, L. S., Reynertson, K. A., Luo, X. D., Basile, M. J., & Kennelly, E. J. (2004). Anthocyanin antioxidants from edible fruits. *Food chemistry*, 84(1), 23-28.
- FAO, F. Agriculture Organization of the United Nations, 2010. Fats and fatty acids in human nutrition. Report of an expert consultation. Rome. *consultado el*, 30, 91.
- Farmakopea Polska, V. tom V. PET Farm., Warszawa, 1999
- Farvid, M. S., Ding, M., Pan, A., Sun, Q., Chiuve, S. E., Steffen, L. M., ... & Hu, F. B. (2014). Dietary linoleic acid and risk of coronary heart disease: a systematic review and meta-analysis of prospective cohort studies. *Circulation*, 130(18), 1568-1578.
- Habánová, M., Holovičová, M., Gažarová, M., Kopčeková, J., & Mrázová, J. (2019). Content of selected bioactive substances in bilberries from various geographical areas. *Scientific works of the Department of Crop Production*. Nitra: SUA in Nitra, (pp. 50-57). In Slovak.
- Chamorro, S., Viveros, A., Alvarez, I., Vega, E., & Brenes, A. (2012). Changes in polyphenol and polysaccharide content of grape seed extract and grape pomace after enzymatic treatment. *Food Chemistry*, 133(2), 308-314.
- Chedea, V. S., Pelmus, R. S., Lazar, C., Pistol, G. C., Calin, L. G., Toma, S. M., ... & Taranu, I. (2017). Effects of a diet containing dried grape pomace on blood metabolites and milk composition of dairy cows. *Journal of the Science of Food and Agriculture*, 97(8), 2516-2523.
- Iora, S. R., Maciel, G. M., Zielinski, A. A., da Silva, M. V., Pontes, P. V. D. A., Haminiuk, C. W., & Granato, D. (2015). Evaluation of the bioactive compounds and the antioxidant capacity of grape pomace. *International Journal of Food Science & Technology*, 50(1), 62-69.
- Ishida, K., Kishi, Y., Oishi, K., Hirooka, H., & Kumagai, H. (2015). Effects of feeding polyphenol-rich winery wastes on digestibility, nitrogen utilization, ruminal fermentation, antioxidant status and oxidative stress in wethers. *Animal Science Journal*, 86(3), 260-269.
- Ivanišová, E., Kántor, A., & Kačániová, M. (2019). Antioxidant Activity and Total Polyphenol Content of Different Varieties of Grape from the Small Carpathians Wine Region of Slovakia. *Scientific Papers: Animal Science & Biotechnologies/Lucrari Stiintifice: Zootehnie si Biotehnologii*, 52(2).
- Ivanko, Š. (2012). Actual questions to solve deficiencies of omega-3 polyunsaturated fatty acids in animal and human nutrition. *Lazar days of nutrition and veterinary dietetics X*. Košice: UVMP in Košice, (pp. 115-121). In Slovak.

- Juráček, M., Bíro, D., Šimko, M., Gálik, B., Rolinec, M., Hanušovský, O., ... & Barantal, S. (2019). Fermentation quality and dry matter losses of grape pomace silages with urea addition. *Agriculture & Food*, 7,173-178.
- Juríková, T., Fatrcová-Šramková, K., & Schwarzová, M. (2019). Lesser known fruit as a source of valuable bioactive substances. *Agrobiodiversity for improve the nutrition, health and quality of human and bees life*. Nitra: SUA in Nitra (p. 94).
- Kolláthová, R., Hanušovský, O., Gálik, B., Bíro, D., Šimko, M., Juráček, M., ... & Gierus, M. (2020). Fatty acid profile analysis of grape by-products from Slovakia and Austria. *Acta Fytotechnica et Zootechnica*, 23(2).
- Lavee, S. (2000). Grapevine (*Vitis vinifera*) growth and performance in warm climates. In *Temperate Fruit Crops in Warm Climates* (pp. 343-366). Springer, Dordrecht.
- Lenighan, Y. M., McNulty, B. A., & Roche, H. M. (2019, May). Dietary fat composition: replacement of saturated fatty acids with PUFA as a public health strategy, with an emphasis on  $\alpha$ -linolenic acid. In *The Proceedings of the Nutrition Society* (Vol. 78, No. 2, pp. 234-245). Cambridge University Press.
- Li, K., Brennan, L., Bloomfield, J. F., Duff, D. J., McNulty, B. A., Flynn, A., ... & Nugent, A. P. (2018). Adiposity associated plasma linoleic acid is related to demographic, metabolic health and haplotypes of FADS1/2 genes in Irish adults. *Molecular nutrition & food research*, 62(7), 1700785.
- Librán Cuervas-Mons, C. M., Mayor López, L., García Castelló, E. M., & Vidal Brotons, D. J. (2013). Polyphenol extraction from grape wastes: Solvent and pH effect. *Agricultural Sciences*, 4(9B), 56-62.
- Manca, M. L., Marongiu, F., Castangia, I., Catalán-Latorre, A., Caddeo, C., Bacchetta, G., ... & Manconi, M. (2016). Protective effect of grape extract phospholipid vesicles against oxidative stress skin damages. *Industrial Crops and Products*, 83, 561-567.
- Michalcova, K., Roychoudhury, S., Halenar, M., Tvrdá, E., Kovacikova, E., Vasicek, J., ... & Kolesarova, A. (2019). In vitro response of human ovarian cancer cells to dietary bioflavonoid isoquercitrin. *Journal of Environmental Science and Health, Part B*, 54(9), 752-757.
- Ozdemir, G., Kitir, N., Turan, M., & Ozlu, E. (2018). Impacts of organic and organo-mineral fertilizers on total phenolic, flavonoid, anthocyanin and antiradical activity of okuzgozu (*Vitis vinifera* L.) grapes. *Acta Scientiarum Polonorum Hortorum Cultus*, 17(3), 91-100.
- Parry, J. Haiwen, L., Jia-Ren, L., Kequan, Z., Lei, Z., & Shuxin, R. (2011). Antioxidant activity, antiproliferation of colon cancer cells, and chemical composition of grape pomace. *Food and Nutrition Sciences*, 2011.
- Pastrana-Bonilla, E., Akoh, C. C., Sellappan, S., & Krewer, G. (2003). Phenolic content and antioxidant capacity of muscadine grapes. *Journal of agricultural and food chemistry*, 51(18), 5497-5503.
- Pintač, D., Majkić, T., Torović, L., Orčić, D., Beara, I., Simin, N., ... & Lesjak, M. (2018). Solvent selection for efficient extraction of bioactive compounds from grape pomace. *Industrial Crops and Products*, 111, 379-390.
- Poudel, P. R., Tamura, H., Kataoka, I., & Mochioka, R. (2008). Phenolic compounds and antioxidant activities of skins and seeds of five wild grapes and two hybrids native to Japan. *Journal of Food Composition and Analysis*, 21(8), 622-625.
- Ribeiro, L. F., Ribani, R. H., Francisco, T. M. G., Soares, A. A., Pontarolo, R., & Haminiuk, C. W. I. (2015). Profile of bioactive compounds from grape pomace (*Vitis vinifera* and *Vitis labrusca*) by spectrophotometric, chromatographic and spectral analyses. *Journal of chromatography B*, 1007, 72-80.
- Rockenbach, I. I., Rodrigues, E., Gonzaga, L. V., Caliari, V., Genovese, M. I., Gonçalves, A. E. D. S. S., & Fett, R. (2011). Phenolic compounds content and antioxidant activity in pomace from selected red grapes (*Vitis vinifera* L. and *Vitis labrusca* L.) widely produced in Brazil. *Food Chemistry*, 127(1), 174-179.
- Rodríguez-Morgado, B., Candiracci, M., Santa-María, C., Revilla, E., Gordillo, B., Parrado, J., & Castaño, A. (2015). Obtaining from grape pomace an enzymatic extract with anti-inflammatory properties. *Plant foods for human nutrition*, 70(1), 42-49.

Ruberto, G., Renda, A., Daquino, C., Amico, V., Spatafora, C., Tringali, C., & De Tommasi, N. (2007). Polyphenol constituents and antioxidant activity of grape pomace extracts from five Sicilian red grape cultivars. *Food Chemistry*, 100(1), 203-210.

Sánchez-Moreno, C., Larrauri, J. A., & Saura-Calixto, F. (1998). A procedure to measure the antiradical efficiency of polyphenols. *Journal of the Science of Food and Agriculture*, 76(2), 270-276.

Singleton, V. L., & Rossi, J. A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American journal of Enology and Viticulture*, 16(3), 144-158.

Soares, S. E. (2002). Ácidos fenólicos como antioxidantes. *Revista de nutrição*, 15(1), 71-81.

Spigno, G., Tramelli, L., & De Faveri, D. M. (2007). Effects of extraction time, temperature and solvent on concentration and antioxidant activity of grape marc phenolics. *Journal of food engineering*, 81(1), 200-208.

Vatai, T., Škerget, M., & Knez, Ž. (2009). Extraction of phenolic compounds from elder berry and different grape marc varieties using organic solvents and/or supercritical carbon dioxide. *Journal of Food Engineering*, 90(2), 246-254.

Vauzour, D., Rodriguez-Mateos, A., Corona, G., Oruna-Concha, M. J., & Spencer, J. P. (2010). Polyphenols and human health: prevention of disease and mechanisms of action. *Nutrients*, 2(11), 1106-1131.

Willett, W. C. (2002). Balancing life-style and genomics research for disease prevention. *Science*, 296(5568), 695-698.

Wu, J. H., Lemaitre, R. N., King, I. B., Song, X., Psaty, B. M., Siscovick, D. S., & Mozaffarian, D. (2014). Circulating omega-6 polyunsaturated fatty acids and total and cause-specific mortality: the Cardiovascular Health Study. *Circulation*, 130(15), 1245-1253.

Xu, C., Yagiz, Y., Borejsza-Wysocki, W., Lu, J., Gu, L., Ramírez-Rodrigues, M. M., & Marshall, M. R. (2014). Enzyme release of phenolics from muscadine grape (*Vitis rotundifolia* Michx.) skins and seeds. *Food chemistry*, 157, 20-29.

Yi, C., Shi, J., Kramer, J., Xue, S., Jiang, Y., Zhang, M., & Pohorly, J. (2009). Fatty acid composition and phenolic antioxidants of winemaking pomace powder. *Food Chemistry*, 114(2), 570-576.