

# Influence of organo-mineral fertilizer rates and weeding frequency on mango ginger (*Curcuma amada* Roxb.)

Samuel Oluwaseun Osunleti, P.M Olorunmaiye, O.R. Adeyemi, O.E. Asiribo, S.T.O. Lagoke, Olanrewaju Emmanuel Oni

## References

- Abubacker. A.T.N. (2009). Export potential of Ginger. Department of Economics, Dr Zakir Husain College, Ileyangudi, Tamil Nadu, India.
- Bahadur, M.M., Azad, A.K.M., Hakim, M.A., Hossain, M.M. and Sikdar, S.P. (2000). Effect of spacing and potassium levels on the growth and yield of turmeric var. Sinduri. *Pakistan Journal of Biological Sciences*, 3(4): 593-95
- Banafar, R .N. S and Tiwara, R. J. (1995). Response of turmeric (*Curcuma longa* L.) to potassium application in medium black soils of Madhya Pradesh. *Crop. Research (Hisar)*. 10: 93-95
- Channappagoudar, B. B., Babu, V., Naganagoudar, Y. B. and Rathod, S. (2013). Influence of herbicides on morpho- physiological growth parameters in turmeric (*Curcuma longa* L.). *The Bioscan*. 8(3):1019-1023
- Cho, G.H., Yoo, C.H., Choi, J.W., Park, K.H., Hari, S.S. and Kim, S.J. (1987). Research Report. Rural Development Administration, Plant Environment Mycology and Farm Products Utilisation, Korea Republic, 29:30-42.
- Dan, D. Q., Joseph, S., Stephanie, D., Alusaine, E. S., Abdul Rahman, C., Jenneh, F. B. and Janatu, V. S. (2016). Economic Evaluation of Weed Control and Herbicide Residues on Cassava (*Manihot esculenta* Crantz) in Ghana. *Journal of Agricultural Science*; Vol. 8, No. 7;
- Food and Agriculture Organization (2013). Production/Crops for Ginger, Food and Agriculture Organization of the United.
- Habetewold, K., Bekelle, K., Kasahun, S. and Tariku, H. (2015). Prevalence of bacterial wilt of ginger (*Zingiber officinale*) caused by *Ralstonia Solanearum* (Smith) in Ethiopia. *Int. J. Res Stud Agric Sci*. 6:14-22.
- Hailemichael, G. and Tesfaye, K. (2008). The effects of seed rhizome size on the growth, yield and economic return of ginger (*Zingiber officinale* Rosc.). *Asian Journal. Plant Sci*. 7: 213-217.
- KAU [Kerala Agricultural University] (2006) .Annual Report of the AICRP on weed control. Kerala Agricultural University, Vellanikkara, Thrissur, pp.16.
- MOARD, (2007). Annual yield assessment report 2007. Results on area ,production and yield a coffee, tea and spices. Statistical Bulletin 150. Addis Ababa. Ethiopia.
- Nagarajan, M. and Pillai, N.G. (1979). A note on nutrient removal by ginger and turmeric rhizomes. *Madras Agricultural Journal*, 66:56-59.
- Policegoudra., R.S, Aradhya. , S.M and Singh, I. (2011). Mango ginger (*Curcuma amada* Roxb.)—A promising spice for phytochemicals and biological activities. *J. Biosci.* 36739–748] DOI 10.1007/s12038-011-9106-1
- Pushpangadan, P. R, Chandana, V. R, Ajay, K. S, Ojha, S. K and Reddy, G. D. (2006) Anti-allergic herbal formulation(s). Patent No. WO2006067802.
- Rahnavard, A., Ashrafi, Z. Y. H., Alizade, M., and Sadeghi S., (2009). Studies on the effect of fertilizer application and crop rotation on the weed infested fields in Iran. *J. Agric. Technol.*, 5 (1), 41-50.
- Roy, S.S. and Hore, J.K. 2007. Influence of organic manures on growth and yield of ginger. *Journal of Plantation Crops*, 35:52-55
- Shadap, A., Pariari, A. and Lyngdoh, Y. A. (2018). Influence of organic manures, bio-fertilizers and graded dose of inorganic fertilizers on the growth and yield of ginger (*Zingiber officinale* rosc.). *Plant Archives* Vol. 18 No. 2, 2018pp. 1593-1597