

The prophylaxis of puerperal infections of cows' genitals by *Lactobacillus* spp.

Danka Šťastná, Pavel Šťastný

References

- Azawi, O. I. (2008). Postpartum uterine infection in cattle. *Animal Reproduction Science*, 105(3-4), 187–208. doi: <https://doi.org/10.1016/j.anireprosci.2008.01.010>
- Bicalho, M.L.S. et al. (2012): Association between virulence factors of *Escherichia coli*, *Fusobacterium necrophorum*, and *Arcanobacterium pyogenes* and uterine diseases of dairy cows. *Veterinary Microbiology*, 157(1-2), 125–131. doi: <https://doi.org/10.1016/j.vetmic.2011.11.034>
- Bondurant, R. H. (1999). Inflammation in the bovine female reproductive tract. *Journal of animal science*, 77(2), 101-110.
- Bruce, A. W. & Reid, G. (1988). Intravaginal instillation of lactobacilli for prevention of recurrent urinary tract infections. *Canadian Journal of Microbiology*, 34(3), 339–343. doi: <https://doi.org/10.1139/m88-062>
- Deng, Q. et al. (2015). Intravaginally administered lactic acid bacteria expedited uterine involution and modulated hormonal profiles of transition dairy cows. *Journal of Dairy Science*, 98(9), 6018–6028. doi: <https://doi.org/10.3168/jds.2014-8559>
- Dohmen, M. J. W. et al. (1995). The relationship between bacteriological and clinical findings in cows with subacute/chronic endometritis. *Theriogenology*, 43(8), 1379–1388. doi: [https://doi.org/10.1016/0093-691x\(95\)00123-p](https://doi.org/10.1016/0093-691x(95)00123-p)
- Dohmen, M. J. W. et al. (2000). Relationship between intra-uterine bacterial contamination, endotoxin levels and the development of endometritis in postpartum cows with dystocia or retained placenta. *Theriogenology*, 54(7), 1019–1032. doi: [https://doi.org/10.1016/s0093-691x\(00\)00410-6](https://doi.org/10.1016/s0093-691x(00)00410-6)
- Földi, J. et al. (2006). Bacterial complications of postpartum uterine involution in cattle. *Animal Reproduction Science*, 96(3-4), 265–281. doi: <https://doi.org/10.1016/j.anireprosci.2006.08.006>
- Genís, S. et al. (2018). Pre-calving Intravaginal Administration of Lactic Acid Bacteria Reduces Metritis Prevalence and Regulates Blood Neutrophil Gene Expression After Calving in Dairy Cattle. *Frontiers in Veterinary Science*, 5. doi: <https://doi.org/10.3389/fvets.2018.00135>
- Corsetti, A. et al. (2005). *Lactobacillus rossii* sp. nov., isolated from wheat sourdough. *International Journal of Systematic and Evolutionary Microbiology*, 55(1), 35–40. doi: <https://doi.org/10.1099/ijs.0.63075-0>
- Hussain, A. M., Daniel, R. C. W. & O'Boyle, D. (1990). Postpartum uterine flora following normal and abnormal puerperium in cows. *Theriogenology*, 34(2), 291–302. doi: [https://doi.org/10.1016/0093-691x\(90\)90522-u](https://doi.org/10.1016/0093-691x(90)90522-u)
- Hussain, A. M. & Daniel, R. C. W. (1992). Phagocytosis by uterine fluid and blood neutrophils and hematological changes in postpartum cows following normal and abnormal parturition. *Theriogenology*, 37(6), 1253–1267. doi: [https://doi.org/10.1016/0093-691x\(92\)90181-p](https://doi.org/10.1016/0093-691x(92)90181-p)
- Kummer, V. et al. (1997). Stimulation of cell defense mechanism of bovine endometrium by temporal colonization with selected strains of lactobacilli. *Veterinarni medicina*, 42(8), 217-224.
- LeBlanc, S. et al. (2001): The incidence and impact of clinical endometritis in dairy cows. *J. Anim. Sci. Suppl.* 79, 187
- LeBlanc, S. J. (2008). Postpartum uterine disease and dairy herd reproductive performance: A review. *The Veterinary Journal*, 176(1), 102–114. doi: <https://doi.org/10.1016/j.tvjl.2007.12.019>
- LeBlanc, S. J., Osawa, T. & Dubuc, J. (2011). Reproductive tract defense and disease in postpartum dairy cows. *Theriogenology*, 76(9), 1610–1618. doi: <https://doi.org/10.1016/j.theriogenology.2011.07.017>
- LeBlanc, S. J. (2014). Reproductive tract inflammatory disease in postpartum dairy cows. *Animal*, 8, 54–63. doi: <https://doi.org/10.1017/s1751731114000524>
- Lewis, G. S. (2003). Role of ovarian progesterone and potential role of prostaglandin F2 α and prostaglandin E2 in modulating the uterine response to infectious bacteria in postpartum ewes. *Journal of Animal Science*, 81(1), 285–293. doi: <https://doi.org/10.2527/2003.811285x>

- Machado, V. S. et al. (2012). Investigation of postpartum dairy cows' uterine microbial diversity using metagenomic pyrosequencing of the 16S rRNA gene. *Veterinary Microbiology*, 159(3-4), 460–469. doi: <https://doi.org/10.1016/j.vetmic.2012.04.033>
- McDougall, S. et al. (2013). Clinical trial of treatment programs for purulent vaginal discharge in lactating dairy cattle in New Zealand. *Theriogenology*, 79(8), 1139–1145. doi: <https://doi.org/10.1016/j.theriogenology.2013.02.002>
- Miller, A. N. A. et al. (2007). The effects of *Arcanobacterium pyogenes* on endometrial function in vitro, and on uterine and ovarian function in vivo. *Theriogenology*, 68(7), 972–980. doi: <https://doi.org/10.1016/j.theriogenology.2007.07.013>
- Noakes, D., Wallace, L. & Smith, G. (1991). Bacterial flora of the uterus of cows after calving on two hygienically contrasting farms. *Veterinary Record*, 128(19), 440–442. doi: <https://doi.org/10.1136/vr.128.19.440>
- Roberts, SJ (1971). *Veterinary Obstetrics and Genital Diseases*. 2nd ed, Ann Arbor, Michigan:Edwards Brothers, Inc.; 1971: 317-336.
- Saxelin, M. (1997). LactobacillusGG—a human probiotic strain with thorough clinical documentation. *Food Reviews International*, 13(2), 293–313. doi: <https://doi.org/10.1080/87559129709541107>
- Sens, A. & Heuwieser, W. (2013). Presence of *Escherichia coli*, *Trueperella pyogenes*, α -hemolytic streptococci, and coagulase-negative staphylococci and prevalence of subclinical endometritis. *Journal of Dairy Science*, 96(10), 6347–6354. doi: <https://doi.org/10.3168/jds.2013-6646>
- Sheldon, I. et al. (2002). Influence of uterine bacterial contamination after parturition on ovarian dominant follicle selection and follicle growth and function in cattle. *Reproduction*, 837–845. doi: <https://doi.org/10.1530/rep.0.1230837>
- Sheldon, I. M. (2004). The postpartum uterus. *Veterinary Clinics: Food Animal Practice*, 20(3), 569-591.
- Sheldon, I. M. et al. (2010). Specific Strains of *Escherichia coli* Are Pathogenic for the Endometrium of Cattle and Cause Pelvic Inflammatory Disease in Cattle and Mice. *PLoS ONE*, 5(2), e9192. doi: <https://doi.org/10.1371/journal.pone.0009192>
- Stevenson, JS (1997): *Clinical reproductive physiology of the cow*. In: Youngquist, R.S. (Ed.), Current Therapy of Large Animal Theriogenology. W.B. Saunders Co., Philadelphia, PA, pp. 257–267. *Postpartum uterine infection in cattle*. Available from: https://www.researchgate.net/publication/5572206_Postpartum_uterine_infection_in_cattle
- Šťastná, D., Šťastný, P. & Kúbek, A. (2007). Lactobacillus spp. in prevention of puerperal inflammation of cows. *Reproduction in domestic animals*. - Oxford : Blackwell Publishing, 2007. 42, (2), (2007), 110-111
- Westermann, S. et al. (2010). A clinical approach to determine false positive findings of clinical endometritis by vaginoscopy by the use of uterine bacteriology and cytology in dairy cows. *Theriogenology*, 74(7), 1248–1255. doi: <https://doi.org/10.1016/j.theriogenology.2010.05.028>
- Williams, E. J. et al. (2007). The relationship between uterine pathogen growth density and ovarian function in the postpartum dairy cow. *Theriogenology*, 68(4), 549–559. doi: <https://doi.org/10.1016/j.theriogenology.2007.04.056>
- Williams, E. J. et al. (2005). Clinical evaluation of postpartum vaginal mucus reflects uterine bacterial infection and the immune response in cattle. *Theriogenology*, 63(1), 102–117. doi: <https://doi.org/10.1016/j.theriogenology.2004.03.017>
- Zerbe, H. et al. (2002). Lochial secretions of *Escherichia coli*- or *Arcanobacterium pyogenes*-infected bovine uteri modulate the phenotype and the functional capacity of neutrophilic granulocytes. *Theriogenology*, 57(3), 1161–1177. doi: [https://doi.org/10.1016/s0093-691x\(01\)00713-0](https://doi.org/10.1016/s0093-691x(01)00713-0)
- Zerbe, H. et al. (2000). Altered functional and immunophenotypical properties of neutrophilic granulocytes in postpartum cows associated with fatty liver. *Theriogenology*, 54(5), 771–786. doi: [https://doi.org/10.1016/s0093-691x\(00\)00389-7](https://doi.org/10.1016/s0093-691x(00)00389-7)