

## Grape Pomace In Equine Nutrition: Effect On Antioxidant Status

Renata Kolláthová, Branislav Gálik, Marko Halo, Anton Kováčik, Ondrej Hanušovský, Michal Rolinec, Miroslav Juráček, Milan Šimko

### References

- Alfa, M., Horcajo, C., Bravo, L. and Goya, L. (2003). Effect of grape antioxidant dietary fiber on the total antioxidant capacity and the activity of liver antioxidant enzymes in rats. *Nutrition Research*, 23(9), 1251-1267. [https://doi.org/10.1016/S0271-5317\(03\)00131-3](https://doi.org/10.1016/S0271-5317(03)00131-3)
- Balea, Ș. S. et al. (2018). Polyphenolic compounds, antioxidant, and cardioprotective effects of pomace extracts from Fetească Neagră Cultivar. *Oxidative medicine and cellular longevity*, 2018. <https://doi.org/10.1155/2018/8194721>
- Benzie, I. F. and Strain, J. J. (1996). The ferric reducing ability of plasma (FRAP) as a measure of "antioxidant power": the FRAP assay. *Analytical biochemistry*, 239(1), 70-76.
- Brenes, A. et al. (2008). Effect of grape pomace concentrate and vitamin E on digestibility of polyphenols and antioxidant activity in chickens. *Poultry science*, 87(2), 307-316. <https://doi.org/10.3382/ps.2007-00297>
- Brenes, A. et al. (2016). Use of polyphenol-rich grape by-products in monogastric nutrition. A review. *Animal Feed Science and Technology*, 211, 1-17. <https://doi.org/10.1016/j.anifeedsci.2015.09.016>
- Buffa, G. et al. (2020). Supplementation of by-products from grape, tomato and myrtle affects antioxidant status of dairy ewes and milk fatty acid profile. *Journal of animal physiology and animal nutrition*, 104(2), 493-506. <https://doi.org/10.1111/jpn.13315>
- Chamorro, S. et al. (2017). Addition of exogenous enzymes to diets containing grape pomace: Effects on intestinal utilization of catechins and antioxidant status of chickens. *Food Research International*, 96, 226-234. <https://doi.org/10.1016/j.foodres.2017.02.010>
- Chedea, V. S. et al. (2019). Red grape pomace rich in polyphenols diet increases the antioxidant status in key organs—kidneys, liver, and spleen of piglets. *Animals*, 9(4), 149. <https://doi.org/10.3390/ani9040149>
- Davies, J. A. et al. (2009). Feeding grape seed extract to horses: effects on health, intake and digestion. *animal*, 3(3), 380-384. <https://doi.org/10.1017/S1751731108003509>
- Ebrahimzadeh, S. K. et al. (2018). Effects of grape pomace and vitamin E on performance, antioxidant status, immune response, gut morphology and histopathological responses in broiler chickens. *South African Journal of Animal Science*, 48(2), 324-336. <http://doi.org/10.4314/sajas.v48i2.13>
- Fan, Z. et al. (2015). Effects of catechins on litter size, reproductive performance and antioxidative status in gestating sows. *Animal Nutrition*, 1(4), 271-275. <https://doi.org/10.1016/j.aninu.2015.11.002>
- Gladine, C. et al. (2007). Plant extracts rich in polyphenols (PERP) are efficient antioxidants to prevent lipoperoxidation in plasma lipids from animals fed n-3 PUFA supplemented diets. *Animal Feed Science and Technology*, 136(3-4), 281-296. <https://doi.org/10.1016/j.anifeedsci.2006.09.003>
- Goñi, I. et al. (2007). Effect of dietary grape pomace and vitamin E on growth performance, nutrient digestibility, and susceptibility to meat lipid oxidation in chickens. *Poultry science*, 86(3), 508-516. <https://doi.org/10.1093/ps/86.3.508>
- Gungor, E., Altop, A. and Erener, G. (2021). Effect of Raw and Fermented Grape Pomace on the Growth Performance, Antioxidant Status, Intestinal Morphology, and Selected Bacterial Species in Broiler Chicks. *Animals*, 11(2), 364. <https://doi.org/10.3390/ani11020364>
- Hellwig, M. (2019). The chemistry of protein oxidation in food. *Angewandte Chemie International Edition*, 58(47), 16742-16763. <https://doi.org/10.1002/anie.201814144>
- Hao, R. et al. (2015). Effects of grape seed procyanidins on growth performance, immune function and antioxidant capacity in weaned piglets. *Livestock Science*, 178, 237-242. <https://doi.org/10.1016/j.livsci.2015.06.004>
- Hosseini-Vashan, S. J. et al. (2020). The growth performance, plasma biochemistry indices, immune system, antioxidant status, and intestinal morphology of heat-stressed broiler chickens fed grape (*Vitis vinifera*) pomace. *Animal Feed Science and Technology*, 259, 114343. <https://doi.org/10.1016/j.anifeedsci.2019.114343>

- Ishida, K. et al. (2015). Effects of feeding polyphenol-rich winery wastes on digestibility, nitrogen utilization, ruminal fermentation, antioxidant status and oxidative stress in wethers. *Animal Science Journal*, 86(3), 260-269. <https://doi.org/10.1111/asj.12280>
- Kafantaris, I. et al. (2017). Grape pomace improves antioxidant capacity and faecal microflora of lambs. *Journal of Animal Physiology and Animal Nutrition*, 101(5), e108-e121. <https://doi.org/10.1111/jpn.12569>
- Kafantaris, I. et al. (2018). Grape pomace improves performance, antioxidant status, fecal microbiota and meat quality of piglets. *Animal*, 12(2), 246-255. <https://doi.org/10.1017/S1751731117001604>
- Kalli, E. et al. (2018). Novel application and industrial exploitation of winery by-products. *Bioresources and Bioprocessing*, 5(1), 1-21. <https://doi.org/10.1186/s40643-018-0232-6>
- Kerasioti, E. et al. (2017). Tissue specific effects of feeds supplemented with grape pomace or olive oil mill wastewater on detoxification enzymes in sheep. *Toxicology reports*, 4, 364-372. <https://doi.org/10.1016/j.toxrep.2017.06.007>
- Kolláthová, R. et al. (2019). The determination of antioxidant activity and content of polyphenols in grape pomace. In *Book of Abstracts of the 70th Annual Meeting of the European Federation of Animal Science* (668). Wageningen, Wageningen Academic Publishers.
- Kolláthová, R. et al. (2020). Effect of dietary grape pomace on fats digestibility in horses. *Acta Fytotechnica et Zootecnica*, 23(5), 132-136. <https://doi.org/10.15414/afz.2020.23.mi-fpap.132-136>
- Kovacik, A. et al. (2019). Trace metals in the freshwater fish *Cyprinus carpio*: Effect to serum biochemistry and oxidative status markers. *Biological trace element research*, 188(2), 494-507. <https://doi.org/10.1007/s12011-018-1415-x>
- Lipinski, K. et al. (2017). Polyphenols in monogastric nutrition-A review. *Annals of Animal Science*, 17(1), 41. <https://doi.org/10.1515/aoas-2016-0042>
- Luchian, C. E. et al. (2019). Antioxidant and antimicrobial effects of grape pomace extracts. In *BIO Web of Conferences* (Vol. 15, p. 04006). EDP Sciences.
- Makri, S. et al. (2017). Novel feed including bioactive compounds from winery wastes improved broilers' redox status in blood and tissues of vital organs. *Food and Chemical Toxicology*, 102, 24-31. <https://doi.org/10.1016/j.fct.2017.01.019>
- Mohamed Ahmed, I. A. et al. (2020). Chemical composition, bioactive compounds, mineral contents, and fatty acid composition of pomace powder of different grape varieties. *Journal of Food Processing and Preservation*, 44(7), e14539. <https://doi.org/10.1111/jfpp.14539>
- Moldovan, M. L. et al. (2019). A Design of Experiments strategy to enhance the recovery of polyphenolic compounds from *Vitis vinifera* by-products through heat reflux extraction. *Biomolecules*, 9(10), 529. <https://doi.org/10.3390/biom9100529>
- National Research Council. (2007). National Research Council Committee nutrient requirements of horses.
- Niedzwiedz, A. et al. (2017). Role of free radicals in oxidative stress—Basic knowledge for clinician. *Науковий вісник ветеринарної медицини*, 1, 77-81.
- NRC. (2007). *Nutrient requirements of horses*. 6th rev.
- Pascariu, S. M. et al. (2017). Effects of wine by-products on growth performance, complete blood count and total antioxidant status in broilers. *Brazilian Journal of Poultry Science*, 19, 191-202. <https://doi.org/10.1590/1806-9061-2016-0305>
- Olejar, K. J. et al. (2019). Characterization of an antioxidant and antimicrobial extract from cool climate, white grape marc. *Antioxidants*, 8(7), 232. <https://doi.org/10.3390/antiox8070232>
- Oliveira, A. B. et al. (2017). Effects of organic vs. conventional farming systems on quality and antioxidant metabolism of passion fruit during maturation. *Scientia Horticulturae*, 222, 84-89. <https://doi.org/10.1016/j.scienta.2017.05.021>
- Singleton, V. L. and Rossi, J. A. (1965). Colorimetry of total phenolics with phosphomolybdic-phosphotungstic acid reagents. *American journal of Enology and Viticulture*, 16(3), 144-158.
- Sánchez-Moreno, C., Larrauri, J. A. and Saura-Calixto, F. (1998). A procedure to measure the antiradical efficiency of polyphenols. *Journal of the Science of Food and Agriculture*, 76(2), 270-276.
- Santos-Sánchez, N. F. et al. (2019). *Antioxidant compounds and their antioxidant mechanism* (pp. 1-28). London, UK: IntechOpen.
- Surai, P. F. (2016). Antioxidant systems in poultry biology: superoxide dismutase. *Journal of Animal Research and Nutrition*, 1(1), 8. <https://doi.org/10.21767/2572-5459>

Tvrda, E. et al. (2016). Curcumin has protective and antioxidant properties on bull spermatozoa subjected to induced oxidative stress. *Animal reproduction science*, 172, 10-20. <https://doi.org/10.1016/j.anireprosci.2016.06.008>

Wang, X. et al. (2019). Effects of dietary grape seed polyphenols supplementation during late gestation and lactation on antioxidant status in serum and immunoglobulin content in colostrum of multiparous sows. *Journal of animal science*, 97(6), 2515-2523. <https://doi.org/10.1093/jas/skz128>

Yamine, S. et al. (2020). Characterisation of polyphenols and antioxidant potential of red and white pomace by-product extracts using subcritical water extraction. *Oeno One*, 54(2), 263-278. <https://doi.org/10.20870/oeno-one.2020.54..2346>

Yang, J. Y. et al. (2017). Effects of dietary grape proanthocyanidins on the growth performance, jejunum morphology and plasma biochemical indices of broiler chicks. *Animal*, 11(5), 762-770. <https://doi.org/10.1017/S1751731116002056>