

Influence of different weed control methods on weed biomass, growth and yield of mango ginger (*Curcuma amada* Roxb.) in forest savannah transition agro-ecological zone of Nigeria

Samuel Oluwaseun Osunleti, P.M Olorunmaiye, O.R. Adeyemi, T.O. Osunleti

References

- Channappagoudar, B. B., Babu, V., Naganagoudar, Y. B. and Rathod, S. (2013). Influence of herbicides on morpho-physiological growth parameters in turmeric (*Curcuma longa* L.). *The Bioscan*. 8(3):1019-1023.
- Chatterjee, R., Chattopadhyay, P. K., Hnamte, V., Chongtham, T. and Datta, Ray S. K. (2012). Assessment of Quality Characteristics of Mango Ginger (*Curcuma amada* Roxb.) Germplasm. *International Journal of Bio-resource and Stress Management*, 3(3): 380-382.
- Eshetu, T. and Addisu, M. (2015). Effect of weed management methods on the growth and yield of ginger in Jimma, Ethiopia. *Journal of Biology, Agriculture and Healthcare*, 5(13):200-204.
- Guggari, A.K., Manjappa, K., Desai, B.K., and Chandranath, H.T. (1995). Integrated weed management in groundnut. *J. Oilseeds Res.*, 12 (1): 65-68.
- Hill, L. V. and Santlemann, P. V. (1969). Comparative effect of annual weeds on Spanish peanut. *Weed Sci.*, 17: 1-2.
- Imoloame, E.O. (2014). The effect(s) of different weed control methods on weed infestation, growth and yield of soybeans (*Glycine max* (l) merril) in the southern guinea savanna of Nigeria. *Agrosearch* Volume 14(2):129-143.
- KAU (Kerala Agricultural University) (2006). *Annual Report of the AICRP on weed control*. Kerala Agricultural University, Vellanikkara, Thrissur. 2006, pp.16.
- Kaur, K., Bhullar, M.S., Kaur, J. and Walia, U.S. (2008). Weed management in turmeric (*Curcuma longa*) through integrated approaches. *Indian Journal of Agronomy*, 53(3): 224–229.
- Kaur, N., Gill, R.I. S and Bhullar, M S. (2016). Integrated weed management in poplar (*Populus deltoides*)–turmeric (*Curcuma longa*) based agroforestry system in Punjab. *Indian Journal of Agronomy*, 61 (2): 168-173.
- Peer, F.A., Badrul lone, B.A., Qayoom, S., Ahmed, L., Khanday, B.A., Singh, P., and Singh, G. (2013). Effect of weed Control Methods on Yield and Yield Attributes of Soyabean. *African Journal of Agricultural Research*, 8(48): 6135 – 6141.
- Samant, L. R. (2012). *Curcuma amada* Roxb.: A Phytopharmacological Review. Samant. / *Journal of Pharmacy Research*, 5(4): 1992-1993.
- Sasikumar, B. (2005). Genetic resources of *Curcuma*: diversity, characterization and utilization, *Plant Gen. Res.*, 3, 2005, 230–251
- Sivakumar, V., Ravindrakumar, K., Chandrasekhar, C., Bhagavan, B.V.K. and Nirmal Babu K. (2019). Evaluation of pre and post emergence herbicides for effective weeds control in Ginger. *International Journal of Chemical Studies* 2019,; 7(4): 2597-2599.
- Unamma, C.P.A., Emyimmia, J., and Emezie, J.E. (1984) Critical period of weed interference in cocoyam/maize/sweet potato. *Tropical Pest Management*. 31:21-23.
- Vishnupriya, M., Nishaa, S., Sasikumar, J. M., Teepica, P. D. D., Hephzibah, C. P. and Gopalakrishnan, V. K. (2012). Chemical Composition and Antioxidant Activity of Essential Oil from *Curcuma amada* Roxb. *International Research Journal of Pharmacy*, 3(6): 99